



DOCKET NO.: H0498.70170US00

*JK*  
*IFV*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Allen et al.  
Serial No.: 10/611,416  
Confirmation No.: 1935  
Filed: July 1, 2003  
Patent No.: 6852543  
For: METHOD AND APPARATUS FOR CONTINUOUS MEASUREMENT  
OF SULFATE  
  
Examiner: Gakh, Yelena G.  
Art Unit: 1743

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 10th day of October, 2006.

*Melanie Hunt*  
Melanie Hunt

CERTIFICATE OF CORRECTION BRANCH

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**

Sir:

OCT 16 2006

Transmitted herewith are the following documents:

**of Correction**

- Request for Certificate of Correction
- Certificate of Correction
- Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 646-8000, Boston, Massachusetts.

A check is not enclosed. If a fee is required, the Commissioner is hereby authorized to charge Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,  
*George Allen, et al., Applicant*

By:

Robert H. Walat, Reg. No.: 46,324  
Timothy J. Oyer, Ph.D., Reg. No.: 36,628  
Wolf, Greenfield & Sacks, P.C.  
600 Atlantic Avenue  
Boston, Massachusetts 02210-2206  
Telephone: (617) 646-8000

Docket No.: H0498.70170US00

Date: October 10, 2006

xNDDx

946398.1

OCT 17 2006



DOCKET NO.: H0498.70170US00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant: George Allen et al.  
Serial No.: 10/611,416  
Confirmation No.: 1935  
Filed: July 1, 2003  
Patent No.: 6852543  
For: METHOD AND APPARATUS FOR CONTINUOUS MEASUREMENT  
OF SULFATE

Examiner: Gakh, Yelena G.  
Art Unit: 1743

---

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 10th day of October, 2006.

  
Melanie Hunt

---

CERTIFICATE OF CORRECTION BRANCH

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Transmitted herewith are the following documents:

- Request for Certificate of Correction
- Certificate of Correction
- Return Receipt Postcard

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 646-8000, Boston, Massachusetts.

A check is not enclosed. If a fee is required, the Commissioner is hereby authorized to charge Deposit Account No. 23/2825. A duplicate of this sheet is enclosed.

Respectfully submitted,  
*George Allen, et al., Applicant*

By:



Robert H. Walat, Reg. No.: 46,324  
Timothy J. Oyer, Ph.D., Reg. No.: 36,628  
Wolf, Greenfield & Sacks, P.C.  
600 Atlantic Avenue  
Boston, Massachusetts 02210-2206  
Telephone: (617) 646-8000

Docket No.: H0498.70170US00

Date: October 10, 2006

xNDDx

946398.1

OCT 17 2006



Docket No.: H0498.70170US00  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: George Allen et al.  
Serial No.: 10/611416  
Confirmation No.: 1935  
Filed: July 1, 2003  
Patent No.: 6852543  
For: METHOD AND APPARATUS FOR CONTINUOUS  
MEASUREMENT OF SULFATE

Examiner: Gakh, Yelena G.  
Art Unit: 1743

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: 10/10/06

Melanie L. Hunt  
Melanie L. Hunt

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR 1.322**

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted a typographical error which should be corrected.

In the Claims:

In Claim 27, column 17, line 2, change "a sample" to --air--.

The error appears to have been made by the Patent Office because claim 63, which was renumbered as claim 27 in the issued patent, recited --air-- instead of "a sample" in the latest amendment filed on August 18, 2004. Accordingly, no fee is required.

OCT 17 2006

Transmitted herewith is a proposed Certificate of Correction effecting such amendment.  
Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: October 10, 2006

Respectfully submitted,

By 

Robert H. Walat

Registration No.: 46,324

WOLF, GREENFIELD & SACKS, P.C.

Federal Reserve Plaza

600 Atlantic Avenue

Boston, Massachusetts 02210-2206

(617) 646-8000

OCT 17 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 6852543  
APPLICATION NO. : 10/611416  
ISSUE DATE : February 8, 2005  
INVENTOR(S) : George Allen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In claim 27, column 17, line 2, change "a sample" to --air--.**

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Robert H. Walat  
WOLF, GREENFIELD & SACKS, P.C.  
Federal Reserve Plaza  
600 Atlantic Avenue  
Boston, Massachusetts 02210-2206

1

OCT 17 2006